



Safety Data Sheet

according to WHMIS 2022 and HCS 2024

1 Identification

Product identifier

Trade name: 8309

- Other Means of Identification: Conformal Coating Remover-Liquid
- Related Part Number: 8309-Liquid, 8309-850ML, 8309-3.78L

Application of the substance / the mixture Coating stripper

- Uses advised against For industrial and professional use only.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:
MG Chemicals (Head Office)
1210 Corporate Drive
Burlington, Ontario L7L 5R6
CANADA
+(1) 800-340-0772
+(1) 905-331-1396
info@mgchemicals.com

Distributor:

Masline
511 Clinton Ave S
Rochester, New York 14620
United States
+(1) 586-546-5373

- Information department: sds@mgchemicals.com

Emergency telephone number:

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents)
USA or CANADA-Call 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service
CANADA-Call CANUTEC collect at +1-613-996-6666 or *666 on cellular phones

2 Hazard identification

Classification of the substance or mixture

Flammable liquids – Category 2	H225 Highly flammable liquid and vapour.
Eye damage/irritation – Category 1	H318 Causes serious eye damage.
Reproductive Toxicity - Category 1B	H360 May damage fertility or the unborn child.
Specific target organ toxicity (single exposure) – Category 3	H336 May cause drowsiness or dizziness.

Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Trade name: 8309

(Contd. of page 1)

· **Hazard pictograms**



GHS02 GHS05 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

1,3-dioxolane
acetone
dimethoxymethane

· **Hazard statements**

H225 Highly flammable liquid and vapour.
H318 Causes serious eye damage.
H360 May damage fertility or the unborn child.
H336 May cause drowsiness or dizziness.

· **Precautionary statements**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground container and receiving equipment.
P241 Use explosion-proof equipment.
P243 Take action to prevent static discharges.
P261 Avoid breathing mist, vapors or spray.
P280 Wear protective gloves, protective clothing, and eye protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor.
P308+P313 IF exposed or concerned: Get medical advice.
P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents and container in accordance with local, regional, and national regulations.

· **Other hazards** Repeated exposure may cause skin dryness or cracking.

* 3 Composition/Information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Safety Data Sheet
according to WHMIS 2022 and HCS 2024

Date of issue 04/16/2026

Version number 5.00

Revision: 10/30/2025

Trade name: 8309

(Contd. of page 2)

· Dangerous components:		
67-64-1	acetone	50% w/w
646-06-0	1,3-dioxolane	34% w/w
109-87-5	dimethoxymethane	16% w/w

* 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Remove person to fresh air and keep comfortable for breathing.
 If feeling unwell: Call a POISON CENTRE or doctor.

· **After skin contact:**

Take off immediately all contaminated clothing.
 Wash with plenty of soap and water.

· **After eye contact:**

Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice or attention.
 If exposed or concerned: Get medical advice/attention.

· **After swallowing:**

Rinse mouth.
 Do NOT induce vomiting.
 If symptoms persist consult doctor.

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture**

Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.

Prevent fire-fighting wash from entering waterway or sewer system.

· **Hazardous combustion products:** Carbon Oxides (COx)

· **Advice for firefighters**

· **Protective equipment:** Wear self-contained breathing apparatus and full fire-fighting turn-out gear.



Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Page 4/13

Date of issue 04/16/2026

Version number 5.00

Revision: 10/30/2025

Trade name: 8309

(Contd. of page 3)

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Remove or keep away all sources of extreme heat or open flames.
Avoid breathing mist, spray, or vapors.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Collect liquid in a sealable, chemical-resistant container.
Wash residue with a paper towel and place dirty towels in container.
Use soap and water to remove the last traces of residue.
RECOMMENDATION: Use a grounded stainless steel or carbon steel container.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Wear protective gloves and eye protection.
Wash hands and exposed skin thoroughly after handling.
Take off contaminated clothing and wash it before reuse.
Avoid breathing mist, spray, or vapors.
Use only outdoors or in a well-ventilated area.
 - **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Use explosion-proof apparatus / fittings and spark-proof tools.
Ground and bond container and receiving equipment.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Keep in a dry and clean area, away from incompatible substances
 - **Information about storage in one common storage facility:** Not required
 - **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store locked up.
- **Specific end use(s)** See section 1.2

— CA —
(Contd. on page 5)

Safety Data Sheet
according to WHMIS 2022 and HCS 2024

Date of issue 04/16/2026

Version number 5.00

Revision: 10/30/2025

Trade name: 8309

(Contd. of page 4)

*** 8 Exposure controls/ Personal protection**

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

67-64-1 acetone	
EL (Canada)	STEL: 500 ppm TWA: 250 ppm
EV (Canada)	STEL: 750 ppm TWA: 500 ppm
PEL (USA)	TWA: 2400 mg/m ³ , 1000 ppm
REL (USA)	TWA: 590 mg/m ³ , 250 ppm
TLV (USA)	STEL: 1187 mg/m ³ , 500 ppm TWA: 594 mg/m ³ , 250 ppm A4, BEI
646-06-0 1,3-dioxolane	
EL (Canada)	TWA: 20 ppm
EV (Canada)	TWA: 20 ppm
TLV (USA)	TWA: 61 mg/m ³ , 20 ppm
109-87-5 dimethoxymethane	
EL (Canada)	STEL: 1250 ppm TWA: 1000 ppm
EV (Canada)	TWA: 3,110 mg/m ³ , 1,000 ppm
PEL (USA)	TWA: 3100 mg/m ³ , 1000 ppm
REL (USA)	TWA: 3100 mg/m ³ , 1000 ppm
TLV (USA)	TWA: 3110 mg/m ³ , 1000 ppm
· Ingredients with biological limit values:	
67-64-1 acetone	
BEI (USA)	25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)

· **Additional information:**

The lists that were valid during the creation were used as basis.
 Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

· **Exposure controls**

· **Appropriate engineering controls** Keep airborne concentrations below exposure limits.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.

(Contd. on page 6)

Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Date of issue 04/16/2026

Version number 5.00

Revision: 10/30/2025

Trade name: 8309

(Contd. of page 5)

· **Breathing equipment:**

If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.

For over-exposures up to 10 x OEL of mist, vapors, and spray, wear respirator such as a half-mask respirator with organic vapor cartridges.

Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus. Advice should be sought from respiratory protection specialists.

· **Protection of hands:**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses or tightly sealed goggles: EN 166

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· Physical state	Liquid
· Form:	Low viscosity
· Color:	Colorless
· Odor:	Like ketone
· Odor threshold:	Not determined
· Melting point/Melting range:	Undetermined
· Boiling point/Boiling range:	42 °C (107.6 °F)
· Flammability:	Highly flammable.
· Explosion limits:	
· Lower:	2.7 Vol %
· Upper:	16.5 Vol %

(Contd. on page 7)

Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Date of issue 04/16/2026

Version number 5.00

Revision: 10/30/2025

Trade name: 8309

(Contd. of page 6)

· Flash point:	-30 °C (-22 °F)
· Auto igniting:	250 °C (482 °F)
· Decomposition temperature:	Not determined
· pH-value:	Not determined
· Viscosity:	
· Kinematic at 40 °C (104 °F):	<20.5 mm ² /s
· Dynamic:	Not determined
· Solubility in / Miscibility with	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined
· Vapor pressure at 20 °C (68 °F):	440 hPa (330 mm Hg)
· Relative density at 25 °C (77 °F):	0.89
· Vapor density (air=1):	>2.01
· Particle characteristics	Not applicable
· Other information	
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Organic solvents:	50.00 %
· VOC content:	50.000 %
	0.0 g/l / 0.00 lb/gal
· Solids content:	16.0 %
· Evaporation rate	Not determined

10 Stability and reactivity

- **Reactivity** Acetone reacts exothermically with phosphorous oxychloride, which can lead to an explosion.
- **Chemical stability** Chemically stable at normal temperatures and pressures.
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Avoid open flames, excessive heat, sparks, ignition sources, and incompatible substances.
- **Incompatible materials:**
Phosphorous oxychloride
Strong oxidizing agents
Strong bases
Strong acids
- **Hazardous decomposition products:**
No dangerous decomposition products known.

(Contd. on page 8)

Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Date of issue 04/16/2026

Version number 5.00

Revision: 10/30/2025

Trade name: 8309

(Contd. of page 7)

Hazardous combustion products: see section 5.

* 11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 acetone		
Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	>7,426 mg/kg (rabbit)
Inhalative	LC50/ 3 h	132 mg/L (rat)
646-06-0 1,3-dioxolane		
Oral	LD50	3,000 mg/kg (rat)
Dermal	LD50	8,480 mg/kg (rabbit)
Inhalative	LC50/4 h	20,650 mg/L (rat)
109-87-5 dimethoxymethane		
Oral	LD50	5,708 mg/kg (rabbit)
Inhalative	LC50/7 h	57 mg/L (rat)

· Primary irritant effect:

- on the eye: Irritating effect.

· Summary of effects and symptoms by route of exposure

· Eyes:

pain
redness, serious irritation

· Skin:

redness
pain
dry skin

· Inhalation:

cough
headache
dizziness or drowsiness
Severe overexposure may lead to unconsciousness.

· Swallowed:

nausea, vomiting
weakness
abdominal pain

· Delayed and immediate effects as well as chronic effects from short and long-term exposure

Prolonged or repeated exposure may defat skin and cause skin dryness and cracking, and local redness and discomfort.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 9)

Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Date of issue 04/16/2026

Version number 5.00

Revision: 10/30/2025

Trade name: 8309

Irritant

(Contd. of page 8)

· **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.
· NTP (National Toxicology Program)
None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· Aquatic toxicity:
67-64-1 acetone
EC50/ 48 h 13,500 mg/L (daphnia)
LC50 96h 5,540 mg/L (trout)

- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable
 - **vPvB:** Not applicable
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:** This material and its container must be disposed of as hazardous waste.
- **Uncleaned packagings:**
 - **Recommendation:**
Containers may still present a chemical hazard/ danger when empty.
Dispose of contents in accordance with all local, regional, national, and international regulations.
Where possible retain label warnings and SDS and observe all notices pertaining to the product.
 - **Recommended cleansing agent:** Water, if necessary with cleansing agents.

Safety Data Sheet
 according to WHMIS 2022 and HCS 2024

Date of issue 04/16/2026




Version number 5.00

Revision: 10/30/2025

Trade name: 8309

(Contd. of page 9)

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT/TDG, IMDG, IATA 	<p>UN1993</p>
<ul style="list-style-type: none"> · UN proper shipping name · DOT/TDG · IMDG · IATA 	<p>Flammable liquids, n.o.s. (acetone, 1,3-dioxolane, dimethoxymethane) FLAMMABLE LIQUID, N.O.S. (acetone, 1,3-dioxolane, dimethoxymethane) Flammable liquid, n.o.s. (acetone, 1,3-dioxolane, dimethoxymethane)</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT/TDG (Transport dangerous goods): 	<div style="text-align: center;">  </div> <ul style="list-style-type: none"> · Class · Label <p>3 Flammable liquids 3</p>
<ul style="list-style-type: none"> · IMDG, IATA 	<div style="text-align: center;">  </div> <ul style="list-style-type: none"> · Class · Label <p>3 Flammable liquids 3</p>
<ul style="list-style-type: none"> · Packing group · DOT/TDG, IMDG, IATA 	<p>II</p>
<ul style="list-style-type: none"> · Environmental hazards: 	<p>Not applicable</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	<p>Not applicable</p>
<ul style="list-style-type: none"> · Transport/Additional information: 	<div style="text-align: center;">  <p>Limited Quantity</p> <p>8309-850ML</p> </div> <ul style="list-style-type: none"> · DOT/TDG · Quantity limitations <p>On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L</p>

(Contd. on page 11)



Safety Data Sheet
according to WHMIS 2022 and HCS 2024

Date of issue 04/16/2026

Version number 5.00

Revision: 10/30/2025

Trade name: 8309

(Contd. of page 10)

<ul style="list-style-type: none"> · IMDG <ul style="list-style-type: none"> · Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2 	<ul style="list-style-type: none"> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none"> · Special precautions for user Not applicable · Hazard identification number (Kemler code): 33 · EMS Number: F-E,<u>S-E</u> · Stowage Category B 	
<ul style="list-style-type: none"> · UN "Model Regulation": 	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ACETONE, 1,3-DIOXOLANE, DIMETHOXYMETHANE), 3, II

*** 15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **OSHA Hazard Communication Standard (29 CFR Part 1900)**

The safety data sheet and label comply with HCS 2024.

· **Hazardous Products Act (R.S.C., 1985, c. H-3)**

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2022.

· **Sara**

<ul style="list-style-type: none"> · Section 355 (extremely hazardous substances): 	None of the ingredients is listed.
<ul style="list-style-type: none"> · Section 313 (Specific toxic chemical listings): 	None of the ingredients is listed.
<ul style="list-style-type: none"> · TSCA (Toxic Substances Control Act): 	All components have the value ACTIVE.
<ul style="list-style-type: none"> · Hazardous Air Pollutants 	None of the ingredients is listed.
<ul style="list-style-type: none"> · Proposition 65 	
<ul style="list-style-type: none"> · Chemicals known to cause cancer: 	None of the ingredients is listed.
<ul style="list-style-type: none"> · Chemicals known to cause reproductive toxicity for females: 	None of the ingredients is listed.
<ul style="list-style-type: none"> · Chemicals known to cause reproductive toxicity for males: 	None of the ingredients is listed.
<ul style="list-style-type: none"> · Chemicals known to cause developmental toxicity: 	None of the ingredients is listed.

(Contd. on page 12)

Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Date of issue 04/16/2026

Version number 5.00

Revision: 10/30/2025

Trade name: 8309

(Contd. of page 11)

· Carcinogenic categories

· TLV (Threshold Limit Value)	
67-64-1 acetone	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Non-Domestic Substances List (NDSL)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
67-64-1 acetone	
109-87-5 dimethoxymethane	

· HMIS-ratings (scale 0 - 4)

Health = * 2
Fire = 3
Reactivity = 0

· Europe

· RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

· WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

· Per- and polyfluoroalkyl substances (PFAS)
None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Regulatory department
- **Contact:** sds@mgchemicals.com
- **Date of previous version** 07/24/2025
- **Version number of previous version:** 4.03
- **Date of preparation** 04/16/2026
- **Abbreviations and acronyms:**
IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 13)

Safety Data Sheet
according to WHMIS 2022 and HCS 2024

Page 13/13

Date of issue 04/16/2026

Version number 5.00

Revision: 10/30/2025

Trade name: 8309

(Contd. of page 12)

DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety

· * **Data compared to the previous version altered.**

— CA —