



Safety Data Sheet

according to WHMIS 2022 and HCS 2024

1 Identification

· Product identifier

· Trade name: 8342

- Other Means of Identification: RA Rosin Flux Paste
- Related Part Number: 8342, 8342-10ML, 8342-50G

· Application of the substance / the mixture Flux

- Uses advised against Not available

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:
MG Chemicals (Head Office)
1210 Corporate Drive
Burlington, Ontario L7L 5R6
CANADA
+(1) 800-340-0772
+(1) 905-331-1396
info@mgchemicals.com

Distributor:

Masline
511 Clinton Ave S
Rochester, New York 14620
United States
+(1) 586-546-5373

- Information department: sds@mgchemicals.com

· Emergency telephone number:

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents)
USA or CANADA-Call 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service
CANADA-Call CANUTEC collect at +1-613-996-6666 or *666 on cellular phones

* 2 Hazard identification

· Classification of the substance or mixture

Eye damage/irritation – Category 2A H319 Causes serious eye irritation.

Sensitization - respiratory – Category 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Sensitization - skin – Category 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Safety Data Sheet
according to WHMIS 2022 and HCS 2024

Date of issue 04/02/2026

Version number 6.10

Revision: 11/09/2025

Trade name: 8342

(Contd. of page 1)

· **Hazard pictograms**



GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Paraffin oils
 Rosin
 suberic acid
 succinic acid

· **Hazard statements**

H319 Causes serious eye irritation.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H317 May cause an allergic skin reaction.

· **Precautionary statements**

P102 Keep out of reach of children.
 P261 Avoid breathing fumes and vapors.
 P264 Wash thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear protective gloves, protective clothing, and eye protection.
 P284 [In case of inadequate ventilation] wear respiratory protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333+P313 If skin irritation or rash occurs: Get medical advice.
 P337+P313 If eye irritation persists: Get medical advice.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P501 Dispose of contents and container in accordance with local, regional, and national regulations.

· **Other hazards** Not available

*** 3 Composition/Information on ingredients**

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

8012-95-1	Paraffin oils	10% w/w
8050-09-7	Rosin	5% w/w
505-48-6	suberic acid	3% w/w

(Contd. on page 3)

Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Date of issue 04/02/2026

Version number 6.10

Revision: 11/09/2025

Trade name: 8342

(Contd. of page 2)

110-15-6	succinic acid	2% w/w
----------	---------------	--------

4 First-aid measures

· Description of first aid measures

· After inhalation:

Remove person to fresh air and keep comfortable for breathing.
If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

· After skin contact:

Wash with plenty water.
If skin irritation or rash occurs: Get medical advice or attention.
Take off contaminated clothing and wash it before reuse.

· After eye contact:

Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice or attention.

· After swallowing:

Rinse mouth.
Do NOT induce vomiting.
If symptoms persist consult doctor.

· Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Not flammable or combustible, but burns if involved in a fire. Produces irritating smoke of unknown toxicity in fires.
Prevent fire-fighting wash from entering waterway or sewer system.

· Hazardous combustion products:

Nitrogen Oxides (NO_x)
Carbon Oxides (CO_x)
rosin solder pyrolysis products

· Advice for firefighters

· **Protective equipment:** Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

Safety Data Sheet
according to WHMIS 2022 and HCS 2024

Date of issue 04/02/2026

Version number 6.10

Revision: 11/09/2025

Trade name: 8342

(Contd. of page 3)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
 Ensure adequate ventilation
 Avoid breathing the fumes or vapors.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
 Not readily flowable.
 Collect in a sealable, chemical-resistant container.
 Wipe the residues with a paper towel and place dirty towels in container.
 Use soap and water to remove the last traces of residue.
- **Reference to other sections**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
 Ensure good ventilation/exhaustion at the workplace.
 Wear protective gloves and eye protection.
 Wash hands and exposed skin thoroughly after handling.
 Take off contaminated clothing and wash it before reuse.
 Contaminated work clothing should not be allowed out of the workplace.
 In case of inadequate ventilation wear respiratory protection.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
 Keep in a dry and clean area, away from incompatible substances
 - **Information about storage in one common storage facility:** Not required
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** See section 1.2

8 Exposure controls/ Personal protection

- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

8012-95-1 Paraffin oils	
EV (Canada)	STEL: 10 mg/m ³ TWA: 5 mg/m ³ Mist

(Contd. on page 5)

Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Trade name: 8342

(Contd. of page 4)

PEL (USA)	TWA: 5 mg/m ³
REL (USA)	STEL: 10 mg/m ³ TWA: 5 mg/m ³ oil mist
TLV (USA)	L
8050-09-7 Rosin	
EL (Canada)	S(D), S(R)
TLV (USA)	TWA: 0.001* mg/m ³ *inhalable fraction, DSEN, RSEN

· **Additional information:**

The lists that were valid during the creation were used as basis.
Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

· **Exposure controls**

· **Appropriate engineering controls**

Keep airborne concentrations below exposure limits.

If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· **Breathing equipment:**

If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.
For over-exposures up to 10 x OEL of mist, vapors, and spray, wear respirator such as a half-mask respirator with organic vapor cartridges.
Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus.
Advice should be sought from respiratory protection specialists.

· **Protection of hands:**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Safety Data Sheet
according to WHMIS 2022 and HCS 2024

Trade name: 8342

(Contd. of page 5)

- **Penetration time of glove material**
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Safety glasses or tightly sealed goggles: EN 166

*** 9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

- **Physical state** Solid
- **Form:** Pasty
- **Color:** Yellow
- **Odor:** Mild
 - **Odor threshold:** Not determined
- **Melting point/Melting range:** Undetermined
- **Boiling point/Boiling range:** Undetermined
- **Flammability:** Non flammable
- **Explosion limits:**
 - **Lower:** Not applicable
 - **Upper:** Not applicable
- **Flash point:** Not applicable
- **Auto igniting:** Not determined
- **Decomposition temperature:** Not determined
- **pH-value:** Not applicable
- **Viscosity:**
 - **Kinematic:** Not applicable
 - **Dynamic:** Not applicable
- **Solubility in / Miscibility with**
 - **Water:** Not determined
- **Partition coefficient (n-octanol/water):** Not determined
- **Vapor pressure:** Not determined
- **Relative density at 25 °C (77 °F):** 1.28
- **Vapor density (air=1):** Not applicable
- **Particle characteristics** Not determined

· **Other information**

· **Important information on protection of health and environment, and on safety.**

- **Ignition temperature:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Organic solvents:** Not available
- **VOC content:** 0.000 %
- **Solids content:** 100.0 %

(Contd. on page 7)

Safety Data Sheet
according to WHMIS 2022 and HCS 2024

Date of issue 04/02/2026

Version number 6.10

Revision: 11/09/2025

Trade name: 8342

(Contd. of page 6)

· Evaporation rate	Not applicable.
---------------------------	-----------------

10 Stability and reactivity

- **Reactivity**
 When rosin flux is exposed to soldering temperatures (350–400 °C) during normal conditions of use, it produces oxidized rosins. These by-products are known skin and respiratory sensitizers.
- **Chemical stability** Chemically stable at normal temperatures and pressures.
 - **Thermal decomposition / conditions to be avoided:**
 No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Avoid ignition sources, open flames, and incompatible substances.
- **Incompatible materials:** Strong oxidizing agents
- **Hazardous decomposition products:**
 Hazardous combustion products: see section 5.
 Thermal degradation produces oxidized rosin by-products that are known skin and respiratory sensitizers.

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
110-15-6 succinic acid		
Oral	LD50	2,260 mg/kg (rat)

- **Primary irritant effect:**
 - **on the eye:** Irritating effect.
- **Sensitization:**
 Sensitization possible through inhalation.
 Sensitization possible through skin contact.
- **Summary of effects and symptoms by route of exposure**
 - **Eyes:** redness, serious irritation
 - **Skin:**
 rash, allergic contact dermatitis
 redness, may cause mild irritation
 - **Inhalation:**
 cough
 sore throat
 wheezing, shortness of breath, difficulty breathing
 - **Swallowed:**
 Low toxicity:

(Contd. on page 8)

Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Trade name: 8342

(Contd. of page 7)

abdominal discomfort

· **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Prolonged or repeated exposure to the oxidized rosin flux may lead to skin sensitization, respiratory sensitization and provoke asthma.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable
· **vPvB:** Not applicable

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** This material and its container must be disposed of as hazardous waste.

· **Uncleaned packagings:**

· **Recommendation:**

Containers may still present a chemical hazard/ danger when empty.

Dispose of contents in accordance with all local, regional, national, and international regulations.

(Contd. on page 9)



Safety Data Sheet
according to WHMIS 2022 and HCS 2024

Date of issue 04/02/2026

Version number 6.10

Revision: 11/09/2025

Trade name: 8342

(Contd. of page 8)
Where possible retain label warnings and SDS and observe all notices pertaining to the product.

14 Transport information

· UN-Number · DOT/TDG, IMDG, IATA	not regulated
· UN proper shipping name · DOT/TDG, IMDG, IATA	not regulated
· Transport hazard class(es) · DOT/TDG, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT/TDG, IMDG, IATA	Not applicable
· Environmental hazards:	Not applicable
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
· Special precautions for user	Not applicable
· UN "Model Regulation":	not regulated

*** 15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **OSHA Hazard Communication Standard (29 CFR Part 1900)**
The safety data sheet and label comply with HCS 2024.
 - **Hazardous Products Act (R.S.C., 1985, c. H-3)**
The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2022.
- **Sara**

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
· Hazardous Air Pollutants
None of the ingredients is listed.

(Contd. on page 10)



Safety Data Sheet
according to WHMIS 2022 and HCS 2024

Date of issue 04/02/2026

Version number 6.10

Revision: 11/09/2025

Trade name: 8342

(Contd. of page 9)

· **Proposition 65**

· Chemicals known to cause cancer:
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.

· **Carcinogenic categories**

· TLV (Threshold Limit Value)
None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.

· **Canadian substance listings:**

· Canadian Domestic Substances List (DSL)
All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)
None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)
None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)
8012-95-1 Paraffin oils
110-15-6 succinic acid

· **HMIS-ratings (scale 0 - 4)**

Health = * 2
Fire = 1
Reactivity = 0

· **Europe**

· **RoHS (Restriction of Hazardous Substances Directive)**

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

· **WEEE (Waste Electrical and Electronic Equipment Directive)**

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

(Contd. on page 11)



Safety Data Sheet

according to WHMIS 2022 and HCS 2024

Page 11/11

Date of issue 04/02/2026

Version number 6.10

Revision: 11/09/2025

Trade name: 8342

(Contd. of page 10)

· **Per- and polyfluoroalkyl substances (PFAS)**

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Regulatory department

· **Contact:** sds@mgchemicals.com

· **Version number of previous version:** 6.02

· **Date of preparation** 04/02/2026

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

· *** Data compared to the previous version altered.**

— CA —