

Safety Data Sheet

according to WHMIS 2023 and HCS 2024

1 Identification

· Product identifier

· Trade name: 8820-A

- **Other Means of Identification:** High Temperature Rigid Urethane
- **Related Part Number:** 8820-Part A, 8820-375ML, 8820-2.55L, 8820-10.8L, 8820-60L

· **Application of the substance / the mixture** Urethane resin

· **Uses advised against** Not applicable

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:
MG Chemicals (Head Office)
1210 Corporate Drive
Burlington, Ontario L7L 5R6
CANADA
+(1) 800-340-0772
+(1) 905-331-1396
info@mgchemicals.com

Distributor:
Masline
511 Clinton Ave S
Rochester, New York 14620
United States
+(1) 586-546-5373

· **Information department:** sds@mgchemicals.com

· Emergency telephone number:

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents)
USA or CANADA-Call 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service
CANADA-Call CANUTEC collect at +1-613-996-6666 or *666 on cellular phones

2 Hazard identification

· Classification of the substance or mixture

Sensitization - skin – Category 1 H317 May cause an allergic skin reaction.
Carcinogenicity – Category 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.
Reproductive Toxicity - Category 2 H361 Suspected of damaging fertility or the unborn child.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Safety Data Sheet
according to WHMIS 2023 and HCS 2024

Date of issue 11/07/2025

Version number 3.02

Revision: 04/15/2025

Trade name: 8820-A

(Contd. of page 1)

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** Warning

· **Hazard-determining components of labeling:**

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700)

Carbon black

methanol

oxirane, mono[(C12-14-alkyloxy)methyl] derivs

· **Hazard statements**

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

H361 Suspected of damaging fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

P102 Keep out of reach of children.

P201 Obtain special instructions before use.

P261 Avoid breathing mist, vapors or spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· **Other hazards** Not available

3 Composition/Information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

1318-02-1	zeolites	7.0% w/w
25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700) Alternative CAS number: 1675-54-3	3.0% w/w
1333-86-4	Carbon black	0.9% w/w
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	0.7% w/w
67-56-1	methanol	0.1% w/w

— CA —

(Contd. on page 3)

Safety Data Sheet

according to WHMIS 2023 and HCS 2024

Trade name: 8820-A

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**
 - **After inhalation:**
Remove person to fresh air and keep comfortable for breathing.
If feeling unwell: Call a POISON CENTRE or doctor.
 - **After skin contact:**
Wash with plenty water.
If skin irritation or rash occurs: Get medical advice or attention.
Take off contaminated clothing and wash it before reuse.
 - **After eye contact:**
Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If symptoms persist consult doctor.
 - **After swallowing:**
Rinse mouth.
Do NOT induce vomiting.
If symptoms persist consult doctor.
 - **Information for doctor:** Treat symptomatically
- **Most important symptoms and effects, both acute and delayed**
See section 11 for additional information.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
Not flammable or combustible, but burns if involved in a fire. Produces irritating smoke of unknown toxicity in fires.
Prevent fire-fighting wash from entering waterway or sewer system.
 - **Hazardous combustion products:**
Carbon Oxides (COx)
other toxic fumes
- **Advice for firefighters**
 - **Protective equipment:** Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Remove or keep away all sources of extreme heat or open flames.
Avoid breathing mist, spray, or vapors.
- **Environmental precautions:**
Avoid release to the environment.

(Contd. on page 4)

Safety Data Sheet
according to WHMIS 2023 and HCS 2024

Date of issue 11/07/2025

Version number 3.02

Revision: 04/15/2025

Trade name: 8820-A

(Contd. of page 3)

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Collect liquid in a sealable, chemical-resistant container.
 Wash residue with a paper towel and place dirty towels in container.
 Use soap and water to remove the last traces of residue.

· **Reference to other sections**

See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.
 Wear protective gloves and eye protection.
 Wash hands and exposed skin thoroughly after handling.
 Take off contaminated clothing and wash it before reuse.
 Contaminated work clothing should not be allowed out of the workplace.
 Obtain, read and follow all safety instructions before use.
 Keep out of reach of children.

· **Information about protection against explosions and fires:**

Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Keep in a dry and clean area, away from incompatible substances
 DO NOT FREEZE. Store in a clean and dry area between 5 to 35 °C.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Store locked up.

· **Specific end use(s)** See section 1.2

8 Exposure controls/ Personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

1333-86-4 Carbon black	
EL (Canada)	TWA: 3 mg/m ³ IARC 2B
EV (Canada)	TWA: 3.5 mg/m ³
PEL (USA)	TWA: 3.5 mg/m ³

(Contd. on page 5)

Safety Data Sheet
according to WHMIS 2023 and HCS 2024

Date of issue 11/07/2025

Version number 3.02

Revision: 04/15/2025

Trade name: 8820-A

(Contd. of page 4)

REL (USA)	TWA: 3.5* mg/m ³ *0.1 in presence of PAHs; See Pocket Guide Apps.A+C
TLV (USA)	TWA: 3* mg/m ³ *inhalable fraction, A3
67-56-1 methanol	
EL (Canada)	STEL: 250 ppm TWA: 200 ppm Skin
EV (Canada)	STEL: 325 mg/m ³ , 250 ppm TWA: 260 mg/m ³ , 200 ppm Skin
PEL (USA)	TWA: 260 mg/m ³ , 200 ppm
REL (USA)	STEL: 325 mg/m ³ , 250 ppm TWA: 260 mg/m ³ , 200 ppm Skin
TLV (USA)	STEL: 328 mg/m ³ , 250 ppm TWA: 262 mg/m ³ , 200 ppm Skin; BEI
· Ingredients with biological limit values:	
67-56-1 methanol	
BEI (USA)	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

· Additional information:

The lists that were valid during the creation were used as basis.
 Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

· Exposure controls

· Appropriate engineering controls Keep airborne concentrations below exposure limits.

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
 Advice should be sought from respiratory protection specialists.
 If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.

(Contd. on page 6)

Safety Data Sheet

according to WHMIS 2023 and HCS 2024

Trade name: 8820-A

(Contd. of page 5)

· **Protection of hands:**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses or tightly sealed goggles: EN 166

* 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· Physical state	Liquid
· Form:	Viscous
· Color:	Black
· Odor:	Mild
· Odor threshold:	Not determined.
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	35 °C (95 °F)
· Flammability:	Non flammable
· Explosion limits:	
· Lower:	Not applicable
· Upper:	Not applicable
· Flash point:	>100 °C (>212 °F)
· Auto igniting:	≥385 °C (≥725 °F)
· Decomposition temperature:	Not determined.
· pH-value:	Not determined.
· Viscosity:	
· Kinematic at 20 °C (68 °F):	305 mm ² /s
· Dynamic:	Not determined.

(Contd. on page 7)

Safety Data Sheet

according to WHMIS 2023 and HCS 2024

Date of issue 11/07/2025

Version number 3.02

Revision: 04/15/2025

Trade name: 8820-A

(Contd. of page 6)

<ul style="list-style-type: none">· Solubility in / Miscibility with<ul style="list-style-type: none">· Water: Not miscible or difficult to mix.· Partition coefficient (n-octanol/water): Not determined.· Vapor pressure: Not available· Relative density at 20 °C (68 °F): 1.15· Vapor density (air=1): Not determined.· Particle characteristics Not applicable
<ul style="list-style-type: none">· Other information<ul style="list-style-type: none">· Important information on protection of health and environment, and on safety.<ul style="list-style-type: none">· Ignition temperature: Product is not selfigniting.· Danger of explosion: Product does not present an explosion hazard.· Organic solvents: 0.10 %· VOC content: 0.100 %· Solids content: 89.2 %· Evaporation rate <1

10 Stability and reactivity

- **Reactivity** Reacts exothermically with amines.
- **Chemical stability** Chemically stable at normal temperatures and pressures.
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
Direct sunlight
Avoid open flames, excessive heat, sparks, ignition sources, and incompatible substances.
- **Incompatible materials:**
Strong acids
Strong oxidizing agents
alkali
- **Hazardous decomposition products:**
No dangerous decomposition products known.
Hazardous combustion products: see section 5.

Safety Data Sheet

according to WHMIS 2023 and HCS 2024

Trade name: 8820-A

(Contd. of page 7)

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

LD/LC50 values that are relevant for classification:		
25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700)		
Oral	LD50	11,400 mg/kg (rat)
1333-86-4 Carbon black		
Oral	LD50	>15,400 mg/kg (rat)
Dermal	LD50	>3,000 mg/kg (rabbit)
68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs		
Oral	LD50	19,200 mg/kg (rat)
Dermal	LD50	4,500 mg/kg (rat)
67-56-1 methanol		
Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/L (ATE)

- Sensitization:

Sensitization possible through skin contact.
May cause an allergic skin reaction.

- Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- Carcinogenicity** Suspected of causing cancer. Route of exposure: Inhalation.
- Reproductive toxicity** Suspected of damaging fertility or the unborn child.
- Specific target organ toxicity - single exposure**
Based on available data, the classification criteria are not met.
- Specific target organ toxicity - repeated exposure**
Based on available data, the classification criteria are not met.
- Aspiration hazard** Based on available data, the classification criteria are not met.

- Summary of effects and symptoms by route of exposure

- Eyes:

may cause redness
pain
blurred vision

- Skin:

rash, allergic contact dermatitis
dry skin, redness

- Inhalation: Low toxicity:

- Swallowed:

Low toxicity:
abdominal pain
nausea
diarrhea

- Delayed and immediate effects as well as chronic effects from short and long-term exposure

Prolonged and repeated exposure to uncured epoxy hardener may lead to skin sensitization.

(Contd. on page 9)

Safety Data Sheet
according to WHMIS 2023 and HCS 2024

Date of issue 11/07/2025

Version number 3.02

Revision: 04/15/2025

Trade name: 8820-A

(Contd. of page 8)

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
 Irritant

· **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
1318-02-1	zeolites	3
1333-86-4	Carbon black	2B
· NTP (National Toxicology Program)		
None of the ingredients is listed.		

12 Ecological information

· **Toxicity**

· Aquatic toxicity:	
1333-86-4 Carbon black	
EC50/ 24 h	>5,600 mg/L (aquatic invertebrates)
EC50/ 72 h	>10,000 mg/L (aquatic algae and cyanobacteria)
EC0/ 3 h	>800 mg/L (microorganisms)
LC50	>1,000 mg/L (fish)

- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects**
 - **Remark:** Harmful to fish

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:** This material and its container must be disposed of as hazardous waste.
- **Uncleaned packagings:**
 - **Recommendation:**
 Containers may still present a chemical hazard/ danger when empty.
 Dispose of contents in accordance with all local, regional, national, and international regulations.

(Contd. on page 10)

Safety Data Sheet
 according to WHMIS 2023 and HCS 2024

Date of issue 11/07/2025

Version number 3.02

Revision: 04/15/2025

Trade name: 8820-A

(Contd. of page 9)

Where possible retain label warnings and SDS and observe all notices pertaining to the product.

14 Transport information

· UN-Number · DOT/TDG, IMDG, IATA	not regulated
· UN proper shipping name · DOT/TDG, IMDG, IATA	not regulated
· Transport hazard class(es) · DOT/TDG, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT/TDG, IMDG, IATA	Not applicable
· Environmental hazards:	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Special precautions for user	Not applicable.
· UN "Model Regulation":	not regulated

*** 15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **OSHA Hazard Communication Standard (29 CFR Part 1900)**

The safety data sheet and label comply with HCS 2024.

· **Hazardous Products Act (R.S.C., 1985, c. H-3)**

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2023.

· **Sara**

· Section 355 (extremely hazardous substances):		
None of the ingredients is listed.		
· Section 313 (Specific toxic chemical listings):		
67-56-1	methanol	
· TSCA (Toxic Substances Control Act):		
25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	ACTIVE
1333-86-4	Carbon black	ACTIVE
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	ACTIVE

(Contd. on page 11)



Safety Data Sheet
according to WHMIS 2023 and HCS 2024

Date of issue 11/07/2025

Version number 3.02

Revision: 04/15/2025

Trade name: 8820-A

(Contd. of page 10)

67-56-1	methanol	ACTIVE
---------	----------	--------

· **Hazardous Air Pollutants**

67-56-1	methanol
---------	----------

· **Proposition 65**

· **Chemicals known to cause cancer:**

1333-86-4	Carbon black
-----------	--------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

67-56-1	methanol
---------	----------

· **Carcinogenic categories**

· **TLV (Threshold Limit Value)**

1333-86-4	Carbon black	A4
-----------	--------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

1333-86-4	Carbon black
-----------	--------------

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Non-Domestic Substances List (NDSL)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients is listed.

· **HMIS-ratings (scale 0 - 4)**

Health = * 2

Fire = 1

Reactivity = 0

· **Europe**

· **RoHS (Restriction of Hazardous Substances Directive)**

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

· **WEEE (Waste Electrical and Electronic Equipment Directive)**

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

(Contd. on page 12)



Safety Data Sheet
according to WHMIS 2023 and HCS 2024

Page 12/12

Date of issue 11/07/2025

Version number 3.02

Revision: 04/15/2025

Trade name: 8820-A

(Contd. of page 11)

· Per- and polyfluoroalkyl substances (PFAS)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Regulatory department

· **Contact:** sds@mgchemicals.com

· **Version number of previous version:** 3.01

· **Date of preparation** 11/07/2025

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

· *** Data compared to the previous version altered.**

— CA —