

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### · 1.1 Product identifier

· **Trade name: 4352**

- **Other Means of Identification:** Thinner 2
- **Related Part Number:** 4352-Liquid, 4352-1L, 4352-4L, 4352-20L, 4352-200L
- **CAS Number:**  
123-86-4
- **EC number:**  
204-658-1
- **Index number:**  
607-025-00-1

### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

- **Application of the substance / the mixture** Coating, paint thinner and remover.
- **Uses advised against** For industrial use only

### · 1.3 Details of the supplier of the safety data sheet

· **Manufacturer/Supplier:**

MG Chemicals Ltd. (Head Office)  
1210 Corporate Drive  
Burlington, Ontario L7L 5R6  
CANADA  
+(1) 905-331-1396  
info@mgchemicals.com

MG Chemicals  
Heame House, 23 Bliston Street  
Sedgely Dudley DY3 1JA.  
United Kingdom  
+(44) 1663 362888

MG Chemicalst Ltd.  
Level 2, Vision Exchange, Building Territorials Street,  
Zone 1, Central Business, District,  
Birkirkara CBD 1070,  
MALTA

- **Further information obtainable from:** sds@mgchemicals.com

### · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

Verisk 3E (Access code: 335388)  
+(44) 20 3514787  
+(1) 760 476 3961  
UK Toll free: +(0) 800 680 0425

Trade name: 4352

(Contd. of page 1)

## SECTION 2: Hazards identification

### · 2.1 Classification of the substance or mixture

#### · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

#### · Hazard pictograms



GHS02



GHS07

#### · Signal word Warning

#### · Hazard-determining components of labelling:

n-butyl acetate

#### · Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents and container in accordance with local, regional, and national regulations.

#### · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

(Contd. on page 3)

**Trade name: 4352**

(Contd. of page 2)

- **Determination of endocrine-disrupting properties** Endocrine Disruptor substance  $\geq 0.1\%$  = none

## SECTION 3: Composition/information on ingredients

- **3.1 Substances**
  - **CAS No. Description**  
123-86-4 n-butyl acetate
  - **Identification number(s)**
    - **EC number:** 204-658-1
    - **Index number:** 607-025-00-1

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**
  - **After inhalation:**  
Remove person to fresh air and keep comfortable for breathing.  
If feeling unwell: Call a POISON CENTRE or doctor.
  - **After skin contact:**  
Take off immediately all contaminated clothing. Wash skin with plenty of water.  
If skin irritation or rash occurs: Get medical advice or attention.  
Wash contaminated clothing before reuse.
  - **After eye contact:**  
Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice or attention.
  - **After swallowing:**  
Rinse mouth.  
Do NOT induce vomiting.  
If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
  - **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use water spray to cool containers.
  - **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.  
Prevent fire-fighting wash from entering waterway or sewer system.
  - **Hazardous combustion products:** Carbon Oxides (CO<sub>x</sub>)

(Contd. on page 4)

Trade name: 4352

(Contd. of page 3)

· **5.3 Advice for firefighters**

- **Protective equipment:** Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

- Wear protective equipment. Keep unprotected persons away.
- Ensure adequate ventilation
- Remove or keep away all sources of extreme heat or open flames.
- Avoid breathing mist, spray, or vapors.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Collect liquid in a sealable, chemical-resistant container.
- Wash residue with a paper towel and place dirty towels in container.
- Use soap and water to remove the last traces of residue.

· **6.4 Reference to other sections**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

- Wear protective gloves and eye protection.
- Wash hands and exposed skin thoroughly after handling.
- Take off contaminated clothing and wash it before reuse.
- Avoid breathing mist, spray, or vapors.
- Use only outdoors or in a well-ventilated area.

· **Information about fire - and explosion protection:**

- Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- Use explosion-proof apparatus / fittings and spark-proof tools.
- Ground and bond container and receiving equipment.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

- **Requirements to be met by storerooms and receptacles:**
  - Keep in a dry and clean area, away from incompatible substances
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
  - Keep container tightly sealed.
  - Store locked up.

· **7.3 Specific end use(s)** See section 1.2

Trade name: 4352

(Contd. of page 4)

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

##### 123-86-4 n-butyl acetate

WEL	Short-term value: 966 mg/m <sup>3</sup> , 200 ppm Long-term value: 724 mg/m <sup>3</sup> , 150 ppm
-----	---

#### Additional information:

The lists valid during the making were used as basis.

Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

### 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

#### Individual protection measures, such as personal protective equipment

##### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

##### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Advice should be sought from respiratory protection specialists.

If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.

##### Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

##### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

##### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

##### Eye/face protection



Safety glasses or tightly sealed goggles: EN 166

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

· **Physical state**

Liquid

· **Form:**

Low viscosity

(Contd. on page 6)

—GB—

Trade name: 4352

(Contd. of page 5)

· Colour:	Clear
· Odour:	Ester-like
· Odour threshold:	Not determined.
· Melting point/freezing point:	-76 °C
· Boiling point or initial boiling point and boiling range	124–128 °C
· Flammability	Flammable.
· Lower and upper explosion limit	
· Lower:	1.2 Vol %
· Upper:	7.5 Vol %
· Flash point:	27 °C (123-86-4 n-butyl acetate)
· Auto-ignition temperature:	370 °C (123-86-4 n-butyl acetate)
· Decomposition temperature:	Not determined.
· pH	5
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	0.7 mPas
· Solubility	
· water at 20 °C:	5 g/l
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	10.7 hPa
· Vapour pressure at 50 °C:	55 hPa
· Density at 20 °C:	0.88 g/cm <sup>3</sup>
· Relative density at 25 °C:	0.887
· Vapour density (air=1):	4
· Particle characteristics	Not applicable.
<b>· 9.2 Other information</b>	
<b>· 9.2.1 Information with regard to physical hazard classes</b>	
· Flammable liquids	Flammable liquid and vapour.
<b>· 9.2.2 Other safety characteristics</b>	
· Evaporation rate	1
· Ignition temperature:	Not determined.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
<b>· Solvent content:</b>	
· Organic solvents:	100.00 %
· VOC (EC)	100.00 %
· Solids content:	0.0 %
· Molecular weight	116.16 g/mol

## \* SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Chemically stable at normal temperatures and pressures.
  - **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**  
Avoid open flames, excessive heat, sparks, ignition sources, and incompatible substances.

(Contd. on page 7)

**Trade name: 4352**

Vapors may form explosive mixture with air.

(Contd. of page 6)

· **10.5 Incompatible materials:**

Strong oxidizing agents  
Strong acids  
Strong bases

· **10.6 Hazardous decomposition products:**

No dangerous decomposition products known.  
Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

123-86-4 n-butyl acetate		
Oral	LD50	>10,768 mg/kg (rat)
Dermal	LD50	>17,600 mg/kg (rabbit)
Inhalative	LC50/4 h	>21 mg/L (rat)

· **Primary irritant effect:**

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** May cause drowsiness or dizziness.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Summary of Effects and Symptoms by Routes of Exposure**

· **Eyes:**

pain  
redness, serious irritation

· **Skin:**

dry skin  
redness, irritation

· **Inhalation:**

dizziness or drowsiness  
sore throat  
cough  
headache

· **Swallowed:**

nausea  
irritation

· **Additional toxicological information:**

· **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Prolonged or repeated exposure may defat skin and cause skin dryness and cracking, and local redness and discomfort.

(Contd. on page 8)

Trade name: 4352

(Contd. of page 7)

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

Substance is not listed.

## SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**123-86-4 n-butyl acetate**

LC50 96h | 18 mg/L (minnow)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation** This material and its container must be disposed of as hazardous waste.

· **European waste catalogue**

HP3 | Flammable

HP5 | Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

· **Uncleaned packaging:**

· **Recommendation:**

Containers may still present a chemical hazard/ danger when empty.



Dispose of contents in accordance with all local, regional, national, and international regulations.

Where possible retain label warnings and SDS and observe all notices pertaining to the product.

Trade name: 4352

(Contd. of page 8)

## SECTION 14: Transport information

<ul style="list-style-type: none"> <li>· 14.1 UN number or ID number</li> <li>· ADR, IMDG, IATA</li> </ul>	UN1123	
<ul style="list-style-type: none"> <li>· 14.2 UN proper shipping name</li> <li>· ADR, IMDG</li> <li>· IATA</li> </ul>	<p>BUTYL ACETATES</p> <p>Butyl acetates</p>	
<ul style="list-style-type: none"> <li>· 14.3 Transport hazard class(es)</li> <li>· ADR, IMDG, IATA</li> </ul>	<div style="text-align: center;">  </div> <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	<p>3 Flammable liquids.</p> <p>3</p>
<ul style="list-style-type: none"> <li>· 14.4 Packing group</li> <li>· ADR, IMDG, IATA</li> </ul>	III	
<ul style="list-style-type: none"> <li>· 14.5 Environmental hazards:</li> </ul>	Not applicable.	
<ul style="list-style-type: none"> <li>· 14.6 Special precautions for user</li> <li>· Hazard identification number (Kemler code):</li> <li>· EMS Number:</li> <li>· Stowage Category</li> </ul>	<p>Not applicable.</p> <p>30</p> <p>F-E,S-D</p> <p>A</p>	
<ul style="list-style-type: none"> <li>· 14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	Not applicable.	
<ul style="list-style-type: none"> <li>· Transport/Additional information:</li> </ul>	<div style="text-align: center;">  </div> <p>Limited Quantity</p> <p>4352-1L, 4352-4L</p>	
<ul style="list-style-type: none"> <li>· ADR</li> <li>· Limited quantities (LQ)</li> <li>· Excepted quantities (EQ)</li> <li>· Transport category</li> <li>· Tunnel restriction code</li> </ul>	<p>5L</p> <p>Code: E1</p> <p>Maximum net quantity per inner packaging: 30 ml</p> <p>Maximum net quantity per outer packaging: 1000 ml</p> <p>3</p> <p>D/E</p>	
<ul style="list-style-type: none"> <li>· IMDG</li> <li>· Limited quantities (LQ)</li> <li>· Excepted quantities (EQ)</li> </ul>	<p>5L</p> <p>Code: E1</p> <p>Maximum net quantity per inner packaging: 30 ml</p> <p>Maximum net quantity per outer packaging: 1000 ml</p>	

(Contd. on page 10)

Trade name: 4352

(Contd. of page 9)

· UN "Model Regulation":	UN 1123 BUTYL ACETATES, 3, III
--------------------------	--------------------------------

## SECTION 15: Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### · Poisons Act

· Regulated explosives precursors (Part 1)
--

Substance is not listed.
--------------------------

· Regulated poisons (Part 2)
------------------------------

Substance is not listed.
--------------------------

· Reportable explosives precursors (Part 3)
---

Substance is not listed.
--------------------------

· Reportable poisons (Part 4)
-------------------------------

Substance is not listed.
--------------------------

#### · Directive 2012/18/EU

- Named dangerous substances - ANNEX I Substance is not listed.

- Seveso category P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
--

Substance is not listed.
--------------------------

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Regulatory department

- Contact: sds@mgchemicals.com

- Date of previous version: 17.05.2024

- Version number of previous version: 6.00

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 11)

**Safety data sheet**  
**according to UK REACH**

Printing date 12.11.2024

Version number 6.01 (replaces version 6.00)

Revision: 12.11.2024

---

**Trade name: 4352**

---

---

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. of page 10)

· \* **Data compared to the previous version altered.**

---

— GB —