

Safety data sheet according to UK REACH

Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: 8320

Other Means of Identification: Epoxy hardener (Part B)

Related Part Number:

8320-Part B, 832HT-B, 832B-B, 832C-B, 8320-125ML, 8320-150ML, 8320-1L, 8320-12L, 8320-20L, 832B-375ML (B), 832B-450ML (B), 832B-3L (B), 832B-12L (B), 832B-60L (B), 832C-375ML (B), 832C-450ML (B), 832C-3L (B), 832C-60L (B), 832HT-375ML (B), 832HT-3L (Kit)

UFI: XDE0-U0A3-1009-KDCG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Epoxy Hardener

Uses advised against Not for use as a spray coating

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

MG Chemicals Ltd. (Head Office)
1210 Corporate Drive
Burlington, Ontario L7L 5R6
CANADA
+(1) 905-331-1396
info@mgchemicals.com

MG Chemicals
Heame House, 23 Bliston Street
Sedgely Dudley DY3 1JA.
United Kingdom
+(44) 1663 362888

MG Chemicalst Ltd.
18-20, Msida Road,
Gzira, GZR 1401
MALTA

Further information obtainable from: sds@mgchemicals.com

1.4 Emergency telephone number:

3E (Access code: 335388)

+(44) 20 3514787

+(1) 760 476 3961

UK Toll free: +(0) 800 680 0425

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Safety data sheet

according to UK REACH

Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

Trade name: 8320

(Contd. of page 1)

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines
triethylenetetramine

· Hazard statements

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children.
P261 Avoid breathing fumes and vapors.
P280 Wear protective gloves / eye protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor.
P501 Dispose of contents and container in accordance with local, regional, and national regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- PBT: Not applicable
- vPvB: Not applicable

· Determination of endocrine-disrupting properties Endocrine Disruptor substance $\geq 0.1\%$ = none

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 68410-23-1	fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines ⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	92.0%
CAS: 112-24-3 EINECS: 203-950-6 Index number: 612-059-00-5	triethylenetetramine ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	8.0%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:** Immediately remove any clothing soiled by the product.

· After inhalation:

Remove person to fresh air and keep comfortable for breathing.
Immediately call a POISON CENTER or doctor.

(Contd. on page 3)

Safety data sheet

according to UK REACH

Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

Trade name: 8320

(Contd. of page 2)

· After skin contact:

Take off immediately all contaminated clothing. Wash with plenty of water or shower.
Immediately call a POISON CENTRE or doctor.
Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice or attention.

· After eye contact:

Rinse cautiously with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor.

· After swallowing:

Rinse mouth. Do not induce vomiting.
Immediately call a POISON CENTER or doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

In case of exposure to nitrogen oxides (NOx) combustion products or triethylenetetramine vapors during a fire, the symptoms may be delayed.

For significant exposures, the exposed person should be kept under medical surveillance for 48 hours.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

Not flammable or combustible, but burns if involved in a fire. Produces irritating smoke of unknown toxicity in fires. Prevent fire-fighting wash from entering waterway or sewer system. Inhalation of toxic smoke during fire may have delayed effects. Exposed person may need to be put under surveillance for 48 h.

· Hazardous combustion products:

Carbon Oxides (COx)
Nitrogen Oxides (NOx)

· 5.3 Advice for firefighters

· **Protective equipment:** Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Do not breathe fumes, mist or vapors.
Remove or keep away all sources of extreme heat or open flames.

· 6.2 Environmental precautions:

Avoid release to the environment.
Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Collect liquid in a sealable, chemical-resistant container.
Wash residue with a paper towel and place dirty towels in container.
Use soap and water to remove the last traces of residue.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

Trade name: 8320

(Contd. of page 3)

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Wear protective gloves and eye protection.

Wash hands and exposed skin thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Collect spillage.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink, or smoke when using this product.

Avoid contact with skin and eyes.

- **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- **Requirements to be met by storerooms and receptacles:**

Keep in a dry and clean area, away from incompatible substances

- **Information about storage in one common storage facility:** Not required

- **Further information about storage conditions:**

Keep container tightly sealed.

Store locked up.

- **Storage class:** 8 A

· 7.3 Specific end use(s) See section 1.2

* SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:**

The lists valid during the making were used as basis.

Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

· 8.2 Exposure controls

- **Appropriate engineering controls**

Due to low vapor pressure of the product, general ventilation should be adequate for normal use. If the product is heated at high temperatures or worker is allergic, use local ventilation and consider using a full mask with organic vapor cartridges.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

Advice should be sought from respiratory protection specialists.

For over-exposures up to 10 x OEL of mist, vapors, and spray, wear respirator such as a half-mask respirator with organic vapor cartridges.

Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus.

(Contd. on page 5)

Safety data sheet

according to UK REACH

Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

Trade name: 8320

(Contd. of page 4)

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses or tightly sealed goggles: EN 166

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Physical state	Liquid
· Form:	Highly viscous
· Colour:	Amber coloured
· Odour:	musty & ammonia-like
· Odour threshold:	Not determined
· Melting point/freezing point:	Undetermined
· Boiling point or initial boiling point and boiling range	Undetermined
· Flammability	Non flammable
· Lower and upper explosion limit	
· Lower:	Not applicable
· Upper:	Not applicable
· Flash point:	122 °C
· Auto-ignition temperature:	Not determined
· Decomposition temperature:	Not determined
· pH	Not determined
· Viscosity:	
· Kinematic viscosity at 20 °C	6,000 mm ² /s
· Dynamic:	Not determined
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure at 20 °C:	>0 hPa
· Relative density at 25 °C:	0.96
· Vapour density (air=1):	>5
· Particle characteristics	Not applicable.

(Contd. on page 6)

—GB—

Safety data sheet

according to UK REACH

Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

Trade name: 8320

(Contd. of page 5)

9.2 Other information

- **9.2.1 Information with regard to physical hazard classes** Not applicable
- **9.2.2 Other safety characteristics**
 - **Evaporation rate** Not determined
 - **Ignition temperature:** Product is not selfigniting.
 - **Explosive properties:** Product does not present an explosion hazard.
 - **Solvent content:**
 - **Organic solvents:** Not available
 - **VOC (EC)** 0.00 %

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
Reacts exothermically with ketones, halogenated hydrocarbons, cyanides, nitriles, and epoxides.
May attack metals such as aluminum, zinc, copper, and their alloys.
- **10.2 Chemical stability** Chemically stable at normal temperatures and pressures.
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**
Avoid open flames, excessive heat, sparks, ignition sources, and incompatible substances.
- **10.5 Incompatible materials:**
Strong oxidizing agents
Strong acids
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known.
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Dermal	LD50	10,063 mg/kg (rabbit)
--------	------	-----------------------

112-24-3 triethylenetetramine

Oral	LD50	2,500 mg/kg (rat)
------	------	-------------------

Dermal	LD50	805 mg/kg (rabbit)
--------	------	--------------------

- **Primary irritant effect:**
 - **Skin corrosion/irritation** Causes severe skin burns and eye damage.
 - **Serious eye damage/irritation** Causes serious eye damage.
 - **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet

according to UK REACH

Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

Trade name: 8320

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Summary of Effects and Symptoms by Routes of Exposure**
 - **Eyes:**
 - eye damage, pain
 - redness, serious irritation
 - **Skin:**
 - rash, allergic contact dermatitis
 - redness, irritation
 - chemical burns
 - Triethylenetetramine can be absorbed through skin leading to toxic effects.
 - When heated, hot triethylenetetramine vapors may also result in itching of the face with skin redness (erythema) and swelling (edema).
 - **Inhalation:** irritation of the respiratory tract
 - **Swallowed:**
 - May cause pain and corrosive burns to the mouth, throat, esophagus, and stomach.
 - irritation to the mouth, throat, esophagus, and stomach
 - allergic reactions
 - see inhalation symptoms
- **Subacute to chronic toxicity:**
 - **Delayed and immediate effects as well as chronic effects from short and long-term exposure**
 - Prolonged or repeated exposure may cause skin allergies.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:

Toxic to aquatic life with long lasting effects.
 Avoid release to the environment.
 Collect spillage.

112-24-3 triethylenetetramine

EC50/ 48 h	24 mg/L (daphnia)
LC50 96h	420 mg/L (guppy)
IC50 72h	2 mg/L (algae)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable
 - **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties**
 - The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
 - **Remark:** Toxic for fish

(Contd. on page 8)

Safety data sheet

according to UK REACH

Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

Trade name: 8320

(Contd. of page 7)

Additional ecological information:

General notes:

- Must not reach sewage water or drainage ditch undiluted or unneutralised.
- Also poisonous for fish and plankton in water bodies.
- Toxic for aquatic organisms
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation** This material and its container must be disposed of as hazardous waste.

European waste catalogue

HP8	Corrosive
HP13	Sensitising
HP14	Ecotoxic

Uncleaned packaging:

Recommendation:

- Containers may still present a chemical hazard/ danger when empty.
- Dispose of contents in accordance with all local, regional, national, and international regulations.
- Where possible retain label warnings and SDS and observe all notices pertaining to the product.

SECTION 14: Transport information

14.1 UN number or ID number

- ADR, IMDG, IATA** UN2735

14.2 UN proper shipping name

- ADR, IMDG** AMINES, LIQUID, CORROSIVE, N.O.S. (triethylenetetramine)
- IATA** Amines, liquid, corrosive, n.o.s. (triethylenetetramine)

14.3 Transport hazard class(es)

- ADR, IMDG, IATA**



- Class** 8 Corrosive substances.
- Label** 8

14.4 Packing group

- ADR, IMDG, IATA** II

14.5 Environmental hazards:

- Product contains environmentally hazardous substances: fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines
- Marine pollutant:** MARINE POLLUTANT
- Special marking (ADR):** ENVIRONMENTALLY HAZARDOUS
- Special marking (IATA):** ENVIRONMENTALLY HAZARDOUS

(Contd. on page 9)

Safety data sheet

according to UK REACH


Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

Trade name: 8320

(Contd. of page 8)

<ul style="list-style-type: none"> · 14.6 Special precautions for user Not applicable · Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B · Segregation groups (SGG18) Alkalis · Stowage Category A · Segregation Code SG35 Stow "separated from" SGG1-acids
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments Not applicable
<ul style="list-style-type: none"> · Transport/Additional information: <div style="text-align: center;">  <p>Limited Quantity</p> </div> <p>832B-375ML, 832B-450ML, 832B-3L, 832C-375ML, 832C-450ML, 832C-3L, 832HT-375ML, 832HT-3L</p>
<ul style="list-style-type: none"> · ADR · Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category 2 · Tunnel restriction code E
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none"> · UN "Model Regulation": UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE), 8, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

<ul style="list-style-type: none"> · Regulated explosives precursors (Part 1) <p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Regulated poisons (Part 2) <p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Reportable explosives precursors (Part 3) <p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Reportable poisons (Part 4) <p>None of the ingredients is listed.</p>

(Contd. on page 10)

—GB—

Safety data sheet

according to UK REACH

Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

Trade name: 8320

(Contd. of page 9)

- **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Seveso category E2** Hazardous to the Aquatic Environment
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

- **Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
---------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

- **Department issuing SDS:** Regulatory department

- **Contact:** sds@mgchemicals.com

- **Date of previous version:** 21.07.2024

- **Version number of previous version:** 4.01

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent

(Contd. on page 11)

Safety data sheet

according to UK REACH

Printing date 16.03.2026

Version number 4.02 (replaces version 4.01)

Revision: 21.11.2024

Trade name: 8320

(Contd. of page 10)

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

GB
