

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

· **Trade name: 860**

· **Other Means of Identification:** Silicone Heat Transfer Compound

· **Related Part Number:** 860, 860-4G, 860-60G, 860-150G, 860-1P, 860-3.78L, 860-5GPSW, 860-6KG

1.2 Relevant identified uses of the substance or mixture and uses advised against

· **Application of the substance / the mixture** Heat transfer compound

· **Uses advised against** Not applicable

1.3 Details of the supplier of the safety data sheet

· **Manufacturer/Supplier:**

MG Chemicals Ltd. (Head Office)
1210 Corporate Drive
Burlington, Ontario L7L 5R6
CANADA
+(1) 905-331-1396
info@mgchemicals.com

MG Chemicals
Heame House, 23 Bliston Street
Sedgely Dudley DY3 1JA.
United Kingdom
+(44) 1663 362888

MG Chemicalst Ltd.
18-20, Msida Road,
Gzira, GZR 1401
MALTA

· **Further information obtainable from:** sds@mgchemicals.com

1.4 Emergency telephone number:

3E (Access code: 335388)
+(44) 20 3514787
+(1) 760 476 3961
UK Toll free: +(0) 800 680 0425

Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

—GB—

Safety data sheet

according to UK REACH

Trade name: 860

(Contd. of page 1)

· **Hazard pictograms**



GHS09

· **Signal word** Warning

· **Hazard statements**

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents and container in accordance with local, regional, and national regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **Determination of endocrine-disrupting properties** Endocrine Disruptor substance $\geq 0.1\%$ = none

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 1314-13-2 EINECS: 215-222-5 Index number: 030-013-00-7	zinc oxide ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	70.0%
CAS: 112945-52-5	amorphous fumed silica	3.0%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation:**

Remove person to fresh air and keep comfortable for breathing.

If feeling unwell: Call a POISON CENTRE or doctor.

· **After skin contact:**

Generally the product does not irritate the skin.

Wash with plenty of water or shower.

Take off contaminated clothing and wash it before reuse.

· **After eye contact:**

Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If symptoms persist consult doctor.

(Contd. on page 3)

Safety data sheet according to UK REACH

Page 3/11

Printing date 01.04.2026

Version number 2.03 (replaces version 2.02)

Revision: 26.11.2024

Trade name: 860

(Contd. of page 2)

- **After swallowing:**
 - Rinse mouth.
 - Do NOT induce vomiting.
 - If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**

If exposed to metal fumes, chills and fever-like symptoms may occur 4-12 hours after exposure.
- **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**

Not flammable or combustible, but burns if involved in a fire. Produces irritating smoke of unknown toxicity in fires.

Prevent fire-fighting wash from entering waterway or sewer system.

Inhalation of metal fumes may cause metal fever and irritate the respiratory tract.

The flu-like symptoms of metal fever may be delayed, occurring 4 to 12 hours after exposure.

 - **Hazardous combustion products:**
 - Carbon Oxides (COx)
 - Zinc oxides
 - formaldehyde
 - toxic metal fumes
- **5.3 Advice for firefighters**
 - **Protective equipment:** Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid breathing fumes or dust.

Remove or keep away all sources of extreme heat or open flames.
- **6.2 Environmental precautions:**

Avoid release to the environment.

Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**

Not readily flowable.

Collect in a sealable, chemical-resistant container.

Wipe the residues with a paper towel and place dirty towels in container.

Use soap and water to remove the last traces of residue.
- **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

— GB —

Trade name: 860

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Collect spillage.

Avoid breathing fumes or dust.

- **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

- **Requirements to be met by storerooms and receptacles:**
Keep in a dry and clean area, away from incompatible substances
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:** None.
- **Storage class:** 11

7.3 Specific end use(s) See section 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The lists valid during the making were used as basis.

Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

8.2 Exposure controls

- **Appropriate engineering controls** Keep airborne concentrations below exposure limits.

Individual protection measures, such as personal protective equipment

- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

Respiratory protection:

If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.

For over-exposures up to 10 x OEL of mist, vapors, and spray, wear respirator such as a half-mask respirator with organic vapor cartridges.

Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus.

Advice should be sought from respiratory protection specialists.

Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Trade name: 860

(Contd. of page 4)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Not required



Wear safety glasses: EN 166

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· Physical state	Solid
· Form:	Pasty
· Colour:	White
· Odour:	Odourless
· Odour threshold:	Not determined
· Melting point/freezing point:	Undetermined
· Boiling point or initial boiling point and boiling range	>300 °C
· Flammability	Non flammable
· Lower and upper explosion limit	
· Lower:	Not applicable
· Upper:	Not applicable
· Flash point:	260 °C
· Auto-ignition temperature:	Not determined
· Decomposition temperature:	Not determined
· pH	Not applicable
· Viscosity:	
· Kinematic viscosity	Not applicable
· Dynamic:	Not applicable
· Solubility	
· water:	Insoluble.
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure:	Not applicable
	Not determined
· Relative density at 25 °C:	2.4
· Vapour density (air=1):	Not applicable
· Particle characteristics	See section 3.

· **9.2 Other information**

· **9.2.1 Information with regard to physical hazard classes**

Not applicable

(Contd. on page 6)

Safety data sheet

according to UK REACH

Trade name: 860

(Contd. of page 5)

· **9.2.2 Other safety characteristics**

- **Evaporation rate** Not applicable.
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Solvent content:**
 - **Organic solvents:** Not available
 - **Solids content:** 100.0 %

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Chemically stable at normal temperatures and pressures.
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known.
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

1314-13-2 zinc oxide

Oral	LD50	7,950 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**
 - **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
 - **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Summary of Effects and Symptoms by Routes of Exposure**
 - **Eyes:**
redness
may cause mild irritation
 - **Skin:** redness, may cause mild irritation

(Contd. on page 7)

Safety data sheet

according to UK REACH

Trade name: 860

(Contd. of page 6)

· **Inhalation:**

cough

irritation of the respiratory tract

Inhalation of fumes may cause metal fever and irritate the respiratory tract.

The flu-like symptoms of metal fume fever may be delayed, occurring 4–12 hours after exposure.

· **Swallowed:**

Low toxicity:

abdominal pain

diarrhea

nausea

vomiting

· **Subacute to chronic toxicity:**

· **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

No further relevant information available.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

Very toxic to aquatic life with long lasting effect.

Avoid release to the environment.

Collect spillage.

1314-13-2 zinc oxide

LC50 | 0.042 mg/L (fish)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Remark:** Very toxic for fish

· **Additional ecological information:**

· **General notes:**

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 8)

Trade name: 860

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. of page 7)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- **Recommendation** This material and its container must be disposed of as hazardous waste.

· European waste catalogue

HP14	Ecotoxic
------	----------

· Uncleaned packaging:

· Recommendation:

Containers may still present a chemical hazard/ danger when empty.
Dispose of contents in accordance with all local, regional, national, and international regulations.
Where possible retain label warnings and SDS and observe all notices pertaining to the product.

SECTION 14: Transport information

· 14.1 UN number or ID number

- **ADR, IMDG, IATA** UN3077

· 14.2 UN proper shipping name

- **ADR** NOT REGULATED by road ADR Special Provision 375 for sizes 5 kg or less.
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)
- **IMDG** NOT REGULATED for sea freight IMDG according to 2.10.2.7 for sizes up to 5 kg.
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)
- **IATA** NOT REGULATED by Air IATA Special Provision A197 for sizes 5kg or less.
Environmentally hazardous substance, solid, n.o.s. (zinc oxide)

· 14.3 Transport hazard class(es)

· ADR, IMDG



- **Class** 9 Miscellaneous dangerous substances and articles.
- **Label** 9

(Contd. on page 9)

—GB—

Safety data sheet
according to UK REACH


Printing date 01.04.2026

Version number 2.03 (replaces version 2.02)

Revision: 26.11.2024

Trade name: 860

(Contd. of page 8)

<p>· IATA</p> 	
<p>· Class</p>	9 Miscellaneous dangerous substances and articles.
<p>· Label</p>	9
<p>· 14.4 Packing group</p>	III
<p>· ADR, IMDG, IATA</p>	III
<p>· 14.5 Environmental hazards:</p>	
<p>· Marine pollutant:</p>	MARINE POLLUTANT
<p>· Special marking (ADR):</p>	ENVIRONMENTALLY HAZARDOUS
<p>· Special marking (IATA):</p>	ENVIRONMENTALLY HAZARDOUS Symbol (fish and tree)
<p>· 14.6 Special precautions for user</p>	Not applicable
<p>· Hazard identification number (Kemler code):</p>	90
<p>· EMS Number:</p>	F-A,S-F
<p>· Stowage Category</p>	A
<p>· Stowage Code</p>	SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
<p>· 14.7 Maritime transport in bulk according to IMO instruments</p>	Not applicable
<p>· Transport/Additional information:</p>	
<p>· ADR</p>	
<p>· Limited quantities (LQ)</p>	5 kg
<p>· Excepted quantities (EQ)</p>	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
<p>· Transport category</p>	3
<p>· Tunnel restriction code</p>	(-)
<p>· IMDG</p>	
<p>· Limited quantities (LQ)</p>	5 kg
<p>· Excepted quantities (EQ)</p>	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
<p>· UN "Model Regulation":</p>	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE), 9, III

Trade name: 860

(Contd. of page 9)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors (Part 1)

None of the ingredients is listed.

· Regulated poisons (Part 2)

None of the ingredients is listed.

· Reportable explosives precursors (Part 3)
--

None of the ingredients is listed.

· Reportable poisons (Part 4)

None of the ingredients is listed.

· Directive 2012/18/EU

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **Seveso category E1** Hazardous to the Aquatic Environment

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS
--

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 11)

Safety data sheet

according to UK REACH

Page 11/11

Printing date 01.04.2026

Version number 2.03 (replaces version 2.02)

Revision: 26.11.2024

Trade name: 860

(Contd. of page 10)

· Classification according to Regulation (EC) No 1272/2008	
Hazardous to the aquatic environment - short-term (acute) aquatic hazard Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- **Department issuing SDS:** Regulatory department

- **Contact:** sds@mgchemicals.com

- **Date of previous version:** 05.06.2024

- **Version number of previous version:** 2.02

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

- * **Data compared to the previous version altered.**

—GB—